




TEST REPORT

According to ANSI/IES LM-80-15
For

Hongli Zhihui Group Co.,Ltd. Guangzhou Branch

Room 316, Building 2, No.1, Xianke Yi Road, Huadong Town, Huadu District, Guangzhou, China

Model: HL-AM-2835H421W-S1-08HL-HR3

Report Type: 10000 Hours Test Report		Product Type: LED Package	
Reviewed By:	Pote Wang		
Report Number:	SZ2220119-02804E-10-10000		
Test Date:	2022-01-26 to 2023-04-12		
Report Date:	2023-04-20		
Approved by:	Blake Zhang / EE Engineer		
Prepared By:	Bay Area Compliance Laboratories Corp. (Shenzhen) 5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China. Tel: +86-755-33320018 Fax: +86-755-33320008		
Test Facility:	Test facility was located at No.12, Pulong East 1 st Road, Tangxia Town, Dongguan, Guangdong, China.		

Note: This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp.(Shenzhen). This report must not be used by the customer to claim product certification, approval, or endorsement by NVLAP, or any agency of the U.S. Government.



TABLE OF CONTENTS

1 - General Information	3
1.1 Description of LED Light Sources#.....	3
1.2 Standards and Reference Documentations.....	3
1.3 Testing Equipment.....	4
1.4 Drive Level.....	4
1.5 Ambient Conditions for Maintenance Test.....	4
1.6 Photometric Measurement Method and Uncertainty.....	4
1.7 Statement of Traceability.....	4
1.8 Sample Set.....	5
2 - Summary of Test Result	6
3 - Test Data	7
3.1 Data Set 1, 55°C, 150mA (Lumen Maintenance).....	7
3.2 Data Set 1, 55°C, 150mA (Forward Voltage).....	8
3.3 Data Set 1, 55°C, 150mA (Chromaticity Shift).....	9
3.4 Data Set 2, 105°C, 150mA (Lumen Maintenance).....	10
3.5 Data Set 2, 105°C, 150mA (Forward Voltage).....	11
3.6 Data Set 2, 105°C, 150mA (Chromaticity Shift).....	12
4 - DUT Photo	13
4.1 Mechanical Dimensions.....	13
4.2 DUT Photo.....	13
Directions	14



1 - General Information

1.1 Description of LED Light Sources[#]

Sample Size:

50 PCS test samples were in good condition and received on 2022-01-19. The samples were numbered from 1 to 25 and 26 to 50.

Manufacturer:	Hongli Zhihui Group Co.,Ltd. Guangzhou Branch
Part Number:	HL-AM-2835H421W-S1-08HL-HR3
Part Type:	LED Package
Drive Level:	DC 150mA
Nominal CCT:	2700K
Power:	0.51 W
Average Current Density per LED die:	861.113 mA/mm ²
Average Power Density per LED die:	2.928 W/mm ²
CRI:	80
Die Spacing:	/

Sampling Method:

LED samples for IESNA LM-80 testing consist of units built from a minimum of three manufacturing lots with each manufacturing lot built from different wafer lots built on non-consecutive days.

These manufacturing lots are picked to represent a wide parametric distribution.

Family products covered by this report:

According to *ENERGY STAR[®] Requirements for the Use of LM-80 Data*, the following products can be covered by this report base on the information and declaration provided by manufacturer. The information of these models shows that the covered products meet all section 4 requirements of *ENERGY STAR[®] Requirements for the Use of LM-80 Data* (September 28, 2017)

This report covers the following models:

Series Name	Model Name	CRI (typ.)	Total Input Current (mA)	Power (W)	CCT (K)	Number of dies	Driver current per die(mA)	Current Density per Die mA/mm ²	Power Density per PCB (W/mm ²)	Die Spacing (mm)
Test model	HL-AM-2835H421W-S1-08HL-HR3	80	150	0.51	2700	1	150	861.113	0.0520	/
Multiple model	HL-AM-2835D***W-****-S1-08**-HR*-***	70-80	150	0.51	2700-6500	1	150	861.113	0.0520	/
	HL-AM-2835H***W-****-S1-08**-HR*-***	70-80	150	0.51	2700-6500	1	150	861.113	0.0520	/

-AM-2835D***W-****-S1-08**-HR*-

- 1.
2. The second "*****" which stands for the Zener chip code or None, no impact on product performances Zener chip code refers to the electrostatic capacity.
- 3.
4. yle
- 5.

1.2 Standards and Reference Documentations

- ANSI/IES LM-80-15: IES Approved Method for Measuring Lumen Maintenance of LED Light Sources.
- *CIE 127:2007: Measurement of LEDs (This standard was not accredited by NVLAP)



Bay Area Compliance Laboratories Corp. (Shenzhen)

5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial
Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China.
The NVLAP Lab Code is 200707-0

- *ENERGY STAR[®] Requirements for the Use of LM-80 Data (This standard was not accredited by NVLAP)

1.3 Testing Equipment

Device	Manufacture	Model No	Serial No
--------	-------------	----------	-----------



Bay Area Compliance Laboratories Corp. (Shenzhen)

5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial
Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China.
The NVLAP Lab Code is 200707-0

1.8 Sample Set

Data Set 1: 55°C, 150mA

Part Number: HL-AM-2835H421W-S1-08HL-HR3
Number of Units: 25
Case Temperature: >53°C
Ambient Temperature: >50°C
Life Test Drive Current: 150mA
Measurement Current: 150mA

Data Set 2: 105°C, 150mA

Part Number: HL-AM-2835H421W-S1-08HL-HR3
Number of Units: 25
Case Temperature: >103°C
Ambient Temperature: >100°C
Life Test Drive Current: 150mA
Measurement Current: 150mA

2 - Summary of Test Result

Data Set:	Sample Size	Failures Observed:	Test Interval	Test Duration	α	β	Reported TM-21 L ₇₀ Lifetime
1	25	0	1000hrs	10000hrs	2.193E-06	1.003	>60000 hours
2	25	0	1000hrs	10000hrs	2.530E-06	1.001	>60000 hours


Average Lumen Maintenance (Percentage of Initial Luminous Flux)

Data Set:	1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs	10000hrs
1	100.12%	99.86%	99.62%	99.40%	99.18%	98.96%	98.74%	98.52%	98.31%	98.10%
2	99.96%	99.67%	99.39%	99.14%	98.88%	98.63%	98.38%	98.13%	97.88%	97.64%

Average Chromaticity Shift

Data Set:	1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs	10000hrs
1	0.0002	0.0003	0.0005	0.0003	0.0005	0.0007	0.0009	0.0010	0.0011	0.0013
2	0.0002	0.0004	0.0006	0.0007	0.0008	0.0009	0.0011	0.0012	0.0014	0.0016

Average Lumen Maintenance and Chromaticity Shift VS. Time





Bay Area Compliance Laboratories Corp. (Shenzhen)

5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial
Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China.
The NVLAP Lab Code is 200707-0

3 - Test Data

3.1 Data Set 1, 55°C, 150mA (Lumen Maintenance)

No.	Lumen Maintenance (%)										
	0hr(Initial)	1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs	10000hrs
1	62.82	100.38	99.98								



Bay Area Compliance Laboratories Corp. (Shenzhen)

5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial
Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China.
The NVLAP Lab Code is 200707-0





3.4 Data Set 2, 105°C, 150mA (Lumen Maintenance)

No.	Ohr(Initial)	Lumen Maintenance (%)									
		1000hrs	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs	10000hrs
26	60.55	100.07	99.85	99.64	99.32	99.04	98.78	98.51	98.22	97.90	97.65
27	61.01	100.02	99.95	99.66	99.44	99.25	99.02	98.79	98.54	98.31	98.10
28	60.74	99.70	99.31	98.96	98.75	98.50	98.32	98.02	97.76	97.56	97.28
29	60.73	100.03	99.82	99.59	99.37	99.09	98.81	98.55	98.30	98.06	97.79
30	61.81	99.87	99.71	99.34	99.05	98.79	98.56	98.29	98.06	97.85	97.54
31	61.13	100.26	99.97	99.59	99.36	99.10	98.81	98.56	98.33	98.12	97.87
32	61.94	99.98	99.84	99.39	99.16	98.93	98.66	98.43	98.16	97.92	97.66
33	62.54	99.89	99.55	99.31	99.06	98.74	98.53	98.31	98.08	97.79	97.55
34	61.97	99.85	99.35	98.97	98.74	98.52	98.22	98.00	97.72	97.43	97.16
35	60.91	100.16	99.95	99.62	99.41	99.08	98.82	98.57	98.31	98.10	97.78
36	61.18	100.16	99.95	99.79	99.56	99.31	99.02	98.74	98.51	98.20	98.02
37	62.01	99.98	99.65	99.47	99.24	98.95	98.61	98.39	98.15	97.94	97.68
38	61.49	99.77	99.25	98.88	98.50	98.31	98.06	97.77	97.58	97.27	96.98
39	61.05	99.77	99.41	99.10	98.89	98.64	98.31	97.99	97.76	97.54	97.36
40	62.31	99.92	99.79	99.65	99.36	99.12	98.86	98.59	98.33	98.11	97.90
41	61.11	100.23	99.98	99.82	99.56	99.28	98.95	98.69	98.49	98.18	97.95
42	62.46	99.82	99.52	99.23	99.02	98.82	98.61	98.33	98.11	97.85	97.58
43	61.03	99.90	99.49	99.10	98.84	98.62	98.39	98.16	97.90	97.61	97.41
44	61.18	100.05	99.61	99.44	99.20	98.94	98.69	98.46	98.22	97.97	97.73
45	61.70	99.84	99.59	99.50	99.25	99.03	98.80	98.61	98.33	98.09	97.88
46	61.02	99.95	99.75	99.67	99.41	99.16	98.95	98.66	98.41	98.16	97.95
47	60.97	100.07	99.79	99.62	99.33	99.11	98.87	98.66	98.41	98.13	97.87
48	60.02	99.83	99.43	99.15	98.95	98.68	98.47	98.17	97.97	97.73	97.53
49	61.55	100.03	99.71	99.38	99.11	98.80	98.51	98.28	98.05	97.87	97.63
50	61.86	99.73	99.47	98.79	98.55	98.29	98.08	97.90	97.64	97.41	97.17
Avg.	61.37	99.96	99.67	99.39	99.14	98.88	98.63	98.38	98.13	97.88	97.64
Med.	61.18	99.95	99.71	99.44	99.20	98.94	98.66	98.43	98.16	97.92	97.66
st dev	0.63	0.1530	0.2230	0.2941	0.2978	0.2904	0.2794	0.2823	0.2801	0.2797	0.2898
Min.	60.02	99.70	99.25	98.79	98.50	98.29	98.06	97.77	97.58	97.27	96.98
Max.	62.54	100.26	99.98	99.82	99.56	99.31	99.02	98.79	98.54	98.31	98.10

Bay Area Compliance Laboratories Corp. (Shenzhen)

5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial
Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China.
The NVLAP Lab Code is 200707-0

Bay Area Compliance Laboratories Corp. (Shenzhen)


5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial
 Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China.
 The NVLAP Lab Code is 200707-0

maticity Shift)

	2000hrs	3000hrs	4000hrs	5000hrs	6000hrs	7000hrs	8000hrs	9000hrs	10000hrs
	0.0005	0.0006	0.0007	0.0008	0.0010	0.0011	0.0013	0.0013	0.0015
	0.0007	0.0010	0.0013	0.0013	0.0014	0.0016	0.0016	0.0019	0.0020
	0.0004	0.0005	0.0006	0.0008	0.0011	0.0014	0.0016	0.0017	0.0020
	0.0002	0.0003	0.0004	0.0005	0.0007	0.0008	0.0010	0.0011	0.0013
	0.0005	0.0006	0.0007	0.0008	0.0008	0.0010	0.0012	0.0013	0.0014
	0.0005	0.0006	0.0007	0.0008	0.0009	0.0011	0.0014	0.0014	0.0016
	0.0002	0.0002	0.0002	0.0005	0.0008	0.0011	0.0012	0.0013	0.0014
	0.0005	0.0006	0.0007	0.0008	0.0009	0.0011	0.0013	0.0015	0.0016
	0.0005	0.0006	0.0009	0.0010	0.0012	0.0013	0.0014	0.0015	0.0017
	0.0002	0.0005	0.0006	0.0009	0.0010	0.0013	0.0015	0.0016	0.0020
	0.0003	0.0004	0.0005	0.0006	0.0007	0.0010	0.0012	0.0013	0.0016
	0.0003	0.0006	0.0008	0.0009	0.0010	0.0013	0.0014	0.0015	0.0017
	0.0005	0.0006	0.0008	0.0009	0.0009	0.0010	0.0012	0.0014	0.0018
	0.0006	0.0008	0.0009	0.0009	0.0010	0.0012	0.0013	0.0014	0.0016
	0.0005	0.0006	0.0009	0.0010	0.0011	0.0012	0.0013	0.0015	0.0017
	0.0004	0.0004	0.0005	0.0007	0.0009	0.0010	0.0011	0.0012	0.0014
	0.0003	0.0005	0.0005	0.0006	0.0007	0.0008	0.0009	0.0011	0.0012
	0.0004	0.0007	0.0009	0.0009	0.0011	0.0013	0.0014	0.0015	0.0017
	0.0005	0.0006	0.0006	0.0008	0.0009	0.0011	0.0013	0.0016	0.0017
	0.0003	0.0004	0.0006	0.0008	0.0008	0.0008	0.0009	0.0011	0.0013
	0.0006	0.0008	0.0008	0.0009	0.0011	0.0013	0.0013	0.0016	0.0018
	0.0005	0.0007	0.0008	0.0011	0.0013	0.0014	0.0014	0.0016	0.0018
	0.0004	0.0006	0.0007	0.0009	0.0009	0.0009	0.0011	0.0011	0.0012
	0.0007	0.0007	0.0006	0.0006	0.0004	0.0005	0.0004	0.0005	0.0007
	0.0002	0.0003	0.0004	0.0005	0.0007	0.0008	0.0011	0.0011	0.0013


4 - DUT Photo

4.1 Mechanical Dimensions



All dimensions are in millimeter

4.2 DUT Photo





Bay Area Compliance Laboratories Corp. (Shenzhen)

5/F(B-West) -7/F, the 3rd Phase of Wan Li Industrial
Building D, Shihua Road, Futian Free Trade Zone Shenzhen, Guangdong, China.
The NVLAP Lab Code is 200707-0

Directions
